



Tapered Panel Average Thickness

Typical Standard Profiles



Typical Extended Profiles



Panel Loading Schedule

All Panels 48" x 48"

Slope	Panel	Thickness	Avg Thickness	Pcs/Bndl
1/16" Slope	1	0.5" - 0.75"	0.625"	76
	2	0.75" - 1.0"	0.875"	54
	3	1.0" - 1.25"	1.125"	42
	4	1.25" - 1.5"	1.375"	34
	5	1.5" - 1.75"	1.625"	28
	6	1.75" - 2.0"	1.875"	24
	7	2.0" - 2.25"	2.125"	22
	8	2.25" - 2.5"	2.375"	20
1/8" Slope	AA	0.5" - 1.0"	0.75"	64
	A	1.0" - 1.5"	1.25"	38
	B	1.5" - 2.0"	1.75"	26
	C	2.0" - 2.5"	2.25"	20
	D	2.5" - 3.0"	2.75"	16
	E	3.0" - 3.5"	3.25"	14
	F	3.5" - 4.0"	3.75"	12
	FF	4.0" - 4.5"	4.25"	10
3/16" Slope	JJ	0.5" - 1.25"	0.875"	54
	KK	1.25" - 2.0"	1.625"	28
	LL	2.0" - 2.75"	2.375"	20
	MM	2.75" - 3.5"	3.125"	14
	J	1.0" - 1.75"	1.375"	34
	K	1.75" - 2.5"	2.125"	22
	L	2.5" - 3.25"	2.875"	16
	M	3.25" - 4.0"	3.625"	12
1/4" Slope	X	0.5" - 1.5"	1.0"	48
	Y	1.5" - 2.5"	2.0"	24
	Z	2.5" - 3.5"	3.0"	16
	ZZ	3.5" - 4.5"	4.0"	12
	G	1.0" - 2.0"	1.5"	32
	H	2.0" - 3.0"	2.5"	18
	I	3.0" - 4.0"	3.5"	12
3/8" Slope	SS	0.5" - 2.0"	1.25"	38
	TT	2.0" - 3.5"	2.75"	16
	S	1.0" - 2.5"	1.75"	26
1/2" Slope	Q	0.5" - 2.5"	1.5"	32
	QQ	2.5" - 4.5"	3.5"	12
	XX	1.0" - 3.0"	2.0"	24