

## InsulBase POLYISO Insulation

ecycled Content (Calculated by Weight)			
Product	Total % Wt	% Weight Recycled	% Weight Recycled
Thickness	Recycled	(Post-Consumer)	(Pre-Consumer)
0.5 HD	39.5%	21.0%	18.5%
0.5	56.2%	36.6%	20.3%
1.0	42.6%	24.4%	18.2%
1.1	40.9%	22.9%	17.9%
1.2	39.3%	21.6%	17.7%
1.3	38.0%	20.5%	17.5%
1.4	36.7%	19.4%	17.3%
1.5	35.6%	18.5%	17.1%
1.6	34.6%	17.6%	17.0%
1.7	33.7%	16.8%	16.9%
1.8	32.8%	16.1%	16.7%
1.9	32.1%	15.5%	16.6%
2.0	31.4%	14.9%	16.5%
2.1	30.7%	14.3%	16.4%
2.2	30.1%	13.8%	16.3%
2.3	29.5%	13.3%	16.2%
2.4	29.0%	12.8%	16.1%
2.5	28.5%	12.4%	16.1%
2.6	28.0%	12.0%	16.0%
2.7	27.6%	11.7%	15.9%
2.8	27.2%	11.3%	15.9%
2.9	26.8%	11.0%	15.8%
3.0	26.4%	10.7%	15.8%
3.1	26.1%	10.4%	15.7%
3.2	25.8%	10.1%	15.7%
3.3	25.5%	9.8%	15.6%
3.4	25.2%	9.6%	15.6%
3.5	24.9%	9.4%	15.5%
3.6	24.6%	9.1%	15.5%
3.7	24.4%	8.9%	15.4%
3.8	24.1%	8.7%	15.4%
3.9	23.9%	8.5%	15.4%
4.0	23.7%	8.3%	15.3%
4.0	23.5%	8.2%	15.3%
4.2	23.3%	8.0%	15.3%
4.3	23.1%	7.8%	15.3%
4.4	22.9%	7.7%	15.2%
4.5	22.7%	7.5%	15.2%



**Post-Consumer Recycled Content** is consumer waste that has become a raw material (feedstock) for another product (e.g.; glass, plastic, aluminum cans, etc.)

Pre-Consumer (Formally Known as Post-Industrial Recycled Content) is output from a process that has not been used as part of a consumer product, that is sold, traded or exchanged under commercial terms as feedstock for another industrial process, and that would have otherwise be landfilled, incinerated or somehow disposed of as a waste.