




# Labor Saver Quick Reference Guide



## VersiFleece® FR TPO

VersiFleece FR TPO membranes achieve a UL Class A fire rating when fastened directly to combustible decks and can be installed in any temperature. VersiFleece FR TPO is chlorine- and plasticizer-free and provides excellent resistance to chemicals, acids, bases, restaurant oils, and greases. Installations are not restricted by ambient temperature limits and VersiFleece FR TPO systems have 67% fewer seams than modified bitumen systems.




## VersiFleece RapidLock (RL™) Roofing Systems

This labor-saving attachment method provides a fully-adhered EPDM, TPO, or PVC system without the use of adhesives. The RapidLock (RL) system utilizes VELCRO® Brand Securable Solutions to achieve performance on par with traditional fully-adhered systems. RapidLock provides up to 80% labor savings compared to traditional adhesives and up to 25% labor savings compared to a traditional VersiFleece system.



## VersiWeld® TPO and VersiFlex™ PVC with APEEL™ Protective Film

Patented APEEL Protective Film guards the TPO and PVC membrane against scuffs and dirt accumulation during construction and eliminates the need to clean the roof after installation. The durable heat- and UV-resistant film will not splinter during removal; simply remove the film and the roof is ready for final inspection.



## VersiWeld QA (Quick-Applied) TPO Membrane

Heat-weldable QA TPO membrane comes with pre-applied adhesive to help save time, labor, and product. Eliminating the need to apply bonding adhesive and wait for flash-off provides up to 80% labor savings compared to traditional installations.



## HydroBond™ Water-Based Adhesive

HydroBond is a water-based, wet lay-in, one-sided dispersion adhesive used with smooth-backed VersiFlex PVC and VersiFleece PVC, KEE HP and TPO membranes. This long-lasting, high-strength adhesive can be quickly and easily applied with a medium nap roller.



## Flexible DASH Dual Tank Adhesive

Flexible DASH Dual Tank Adhesive adheres VersiFleece membranes with superior staying power and reduces membrane application time up to 60% when compared to traditional installations of non-VersiFleece systems. Self-contained Dual Tank sets include spray tips, guns, nozzle extensions, and hoses in each A-side box. Dual Tanks decrease labor by eliminating equipment maintenance and breakdowns, and application time is reduced up to 15% when compared to low-pressure dispensing machines.



## CAV-GRIP™ 3V and CAV-GRIP PVC Adhesive

This spray gun-applied adhesive requires no stirring or waiting for flash-off, can be used in cold temperatures, is quick to apply, and has a 5-minute set-up time, resulting in up to 60% labor savings when compared to installations using traditional bonding adhesive. **CAV-GRIP 3V** is an excellent option for adhering standard TPO and EPDM membranes to horizontal and vertical surfaces, adhering VersiFleece TPO or EPDM membranes to vertical surfaces, as a primer for VapAir Seal 725TR, and as an unexposed asphalt primer for Flexible DASH. **CAV-GRIP PVC** can be used for a variety of applications: adhering PVC bareback membranes to a variety of horizontal substrates and vertical walls (cannot be used with any KEE or KEE HP bareback membranes), adhering VersiFleece PVC membranes to vertical walls, as a primer for VapAir Seal 725TR, and as an unexposed asphalt primer for Flexible DASH.



## VersiGard® QA EPDM Membrane with QAT Seam Technology


VersiGard QA EPDM membrane provides up to 80% labor savings on the rooftop. With its factory applied adhesive the need to load, stir, apply and wait for flash off is eliminated, creating an easy-to-install fully-adhered system. VersiGard QA EPDM membrane is also available with pre-applied seam tape.

Versico's labor-saving pre-applied seam tape makes it possible to increase productivity because most of the labor to create seams between membrane panels is completed in a quality controlled, state-of-the-art environment. This process results in a reliable seam with greater peel and shear strengths and with no entrapped air bubbles. Consistent placement of the QA Seam Tape also maximizes the splice area and results in a high-quality seam.





# Labor Saver Quick Reference Guide




## VersiGard White Peel & Stick Accessories

These accessories feature pre-applied adhesive which saves time and labor and reduces the likelihood of improper installation. VersiGard Peel & Stick accessories are ideal for installing details on all VersiGard EPDM Roofing Systems. White Peel & Stick accessories can also be used on VersiWeld TPO roofing systems, providing substantial labor savings on projects with hard-to-flash penetrations and are ideal for circumstances in which the use of a generator and hand welder are not practical.



## VersiGard EPDM 20" Quick-Applied Cured Flashing

VersiGard 20" QA Cured Flashing features a monolithic 20" of Seam Tape and offers an effective, labor-saving way to flash curbs and pipes. Production time on projects with numerous curbs or wall flashings can be significantly reduced.



## PVC Pressure-Sensitive (PS) Cover Strip

PVC PS Cover Strip is compatible with a variety of metal finishes and is quick and easy to install; no welding is required. Simply apply PVC Step 1 Activator, followed by PVC Step 2 Primer, then install the PVC PS Cover Strip.



## CAV-PRIME Primers


### CAV-PRIME EPDM V-150 Primer, CAV-PRIME TPO Primer, and CAV-PRIME Low-VOC EPDM and TPO Primer

CAV-PRIME primers are packaged in a pressurized cylinder and are applied using a self-contained spray system providing a quick, one-person application. Application is made even faster and easier with the available spray gun, wand, applicator attachment kit, and backpack.




## SecurShield and SecurShield HD Cover Board with ReadyFlash Technology

ReadyFlash products feature a dark colored facer on one side and a light-colored facer on the other allowing contractors to manipulate adhesive flash-off times by choosing between two different-colored facers on every board. Utilizing the sun's energy, the dark facer accelerates adhesive flash-off while the light facer slows it down. The dark CGF also more closely matches the backside of single-ply membranes, providing better alignment of adhesive flash-off times between insulation and membrane.




## SecurShield™ HD Plus Polyiso

Versico's SecurShield HD Plus Polyiso Insulation is an FM-approved, 1/2"-thick high-density polyiso insulation panel specifically designed for use as a cover board in fully adhered systems. Suitable for both re-roofing and new construction applications, this product is manufactured on-line using premium-performance coated glass facers and delivers an R-value of 2.5.



## Hinged Target Sumps™

Hinged Target Sumps can be used to add slope at the drains on structurally sloped decks or to start a four-way tapered design. Hinged Target Sumps are factory-fabricated to ensure consistency, are available in a variety of slopes and thicknesses, and are offered with standard and SecurShield (coated glass) facers. Custom thicknesses are also available.



## VersiWeld TPO and VersiFlex PVC Universal Corners

Pre-molded Universal Corners require no stretching and are ideal for flashing both inside and outside corner details, saving up to 60% on labor compared to field fabrication.

## Stay Connected

Get the most up-to-date information on all our labor saving products.



[www.facebook.com/versicoroofingsystems](http://www.facebook.com/versicoroofingsystems)



[www.linkedin.com/company/versico/](http://www.linkedin.com/company/versico/)



[@versicoroofing](https://twitter.com/versicoroofing)

To learn more about how you can increase your productivity by taking advantage of labor-saving products from Versico Roofing Systems, visit [www.versico.com/laborsavers](http://www.versico.com/laborsavers)

Look for the Labor Saver icon.



A SINGLE SOURCE FOR SINGLE-PLY ROOFING

800.992.7663 • [www.versico.com](http://www.versico.com)