

COATING SYSTEM



Coating Systems



BUILDING VALUE



Coating Solutions

X-Tenda Coat provides a cost-effective, fluid applied roofing restoration system that can extend the life of an existing roofing system. Versico offers two lines of high-performance acrylic roof coatings that help increase a rooftop's reflectivity, improve its performance, while offering minimal downtime to the building's operations.

WHY CHOOSE X-TENDA COAT?

Reflectivity

Versico's highly reflective white X-Tenda Coat helps reflect solar energy and is designed to meet LEED® requirements.

Functionality

X-Tenda Coat helps protect a building's primary roofing system from the elements, enhancing the longevity and performance of virtually any rooftop.

Aesthetics

X-Tenda Coat is available in a variety of standard and special-order colors that can transform the appearance of almost any roofing system.

Economical

- Extends the life of the roof system
- Reduces labor and material costs
- Causes minimal disruption/downtime for building occupants and operations
- Does not count as an additional or third roof system for code purposes
- Can avoid capital expenditures for a new roofing system

X-Tenda Coat Products

Versico's coatings and accessories are all designed to provide superior performance over a variety of substrates for a quality, long-lasting roof system.



ACRYLIC COATING

A 100% acrylic, single-component, water-based, premium quality elastomeric coating.

- Easy to apply with conventional or airless spray equipment, roller, or brush
- Water-based and easy to clean up
- Title 24 compliant
- High solar reflectivity can contribute to energy savings
- Restoration System and Material Warranties available
- Available in: White, Light Gray, Dark Gray, and Tan
- High Tensile and Quick Set formulations available

X-TENDA COAT XTRA

SILICONE COATING

A single-component, moisture-cured, fluid applied low-VOC silicone coating.

- Industry-leading resistance to dirt pick-up and biological growth
- Title 24 compliant
- NSF P151 Rated (white only)
- Restoration System and Material Warranties available
- Low-VOC compliant
- Available in White, Light Gray, Dark Gray, and Tan
- Excellent resistance to ponding water, UV exposure, and natural weathering



Before: Overview of existing 39-year-old Versico roofing system.

After: Completed restoration.



Acrylic Color Options





Colors shown are representative of X-Tenda Coat Classic Acrylic and X-Tenda Coat XTRA Silicone Coating colors but may not be exact matches. Custom colors available for X-Tenda Coat Classic and X-Tenda Coat XTRA. Contact Versico for more detail.

Warranties

Like all of Versico's dependable roofing products, X-Tenda Coat products are backed by industry-leading warranties. Depending on the thickness of the coating application, Versico offers 5- or 10-year Restoration Material Warranties or 5-, 10-, or 15-year Restoration System Warranties for X-Tenda Coat Classic and X-Tenda Coat XTRA systems. Please note: System Warranties are only available when coating is applied to a Versico roofing system. Please refer to Versico's Specifications and Details for complete warranty information.

X-Tenda Coat Coatings

Roof Surface	Cleaner	Pressure Wash	Primer	Acrylic or Silicone Top Coat	5-year Dry Mils		10-year Dry Mils		15-year Dry Mils	
					Acrylic Coating	Silicone Coating	Acrylic Coating	Silicone Coating	Acrylic Coating	Silicone Coating
New & Aged EPDM	X-Tenda Coat Membrane Cleaner	Yes	N/A	XCC/XCX	16	15	25	20	32	30
New TPO	N/A	N/A	X-Tenda Coat TPO Primer	XCC/XCX	16	15	25	20	32	30
Aged TPO*	X-Tenda Coat Membrane Cleaner	Yes	X-Tenda Coat TPO Primer	XCC/XCX	16	15	25	20	32	30
New PVC/KEE				Cor	ntact Versico					
Aged PVC/KEE*	X-Tenda Coat Membrane Cleaner	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
Hypalon®*	X-Tenda Coat Membrane Cleaner	Yes	N/A	XCC/XCX	16	15	25	20	32	30
New Ferrous Metal, Galvanized, or Galvalume finished*	N/A	Yes	N/A	XCC/XCX	16	15	25	20	32	30
Aged Ferrous Metal, Galvanized, or Galvalume finished*	N/A	Yes	X-Tenda Coat Epoxy Primer	XCC/XCX	16	15	25	20	32	30
New & Aged Concrete	N/A	N/A	X-Tenda Coat General Purpose	XCC/XCX	16	15	25	20	32	30
New Smooth BUR	N/A	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
Aged Smooth BUR*	X-Tenda Coat Membrane Cleaner	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
New APP	N/A	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
Aged APP*	X-Tenda Coat Membrane Cleaner	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
New SBS - Smooth	N/A	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
Aged SBS - Smooth*	X-Tenda Coat Membrane Cleaner	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
New SBS - Granulated	N/A	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
Aged SBS - Granulated*	X-Tenda Coat Membrane Cleaner	Yes	X-Tenda Coat Bleed Block	XCC/XCX	16	15	25	20	32	30
Aged Silicone*	N/A	Yes	N/A	XCC	16	15	25	20	32	30
Aged Acrylic*	N/A	Yes	N/A	XCC/XCX	16	15	25	20	32	30

XCC = X-Tenda Coat Classic Acrlyic Coating, XCX = X-Tenda Coat XTRA Silicone Coating

* Field Adhesion Test Required (2.0 pli minimum)

NOTE - Consult specifications and Technical Data Bulletins for coverage rates and other installation requirements.



A SINGLE SOURCE FOR SINGLE-PLY ROOFING

800.992.7663 • www.versico.com

Versico and the Versico logo are registered trademarks of Versico. X-Tenda Coat is a trademark of Carlisle Constructions Materials, LLC. Hypalon is a registered trademark of DuPont Performance Elastomers. Kynar is a registered trademark of Arkema. LEED is a registered trademark of the U.S. Green Building Council.