

GREEN GLOBES® – NC v2019 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
EPDM THERMOSET MEMBRANE ROOFING											
VERSIGARD NON- REINFORCED EPDM						✓	✓	✓		✓	✓
VERSIGARD REINFORCED EPDM						✓	✓	✓		✓	✓
VERSIGARD QA (QUICK-APPLIED) REINFORCED EPDM										✓	✓
VERSIGARD NON-REINFORCED WHITE EPDM	✓							✓		✓	✓
VERSIGARD WHITE QA (QUICK-APPLIED) NON-REINFORCED EPDM	✓									✓	✓
VERSIGARD QA (QUICK-APPLIED) NON-REINFORCED EPDM										✓	✓
VERSIFLEECE AC EPDM										✓	✓
VERSIFLEECE WHITE AC EPDM	✓									✓	✓
VERSIFLEECE RL™ EPDM										✓	✓

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
THERMOPLASTIC MEMBRANE ROOFING											
VERSIWELD TPO											
VERSIWELD QA (QUICK-APPLIED) TPO											
VERSIFLEECE TPO											
VERSIFLEECE AC TPO											
VERSIFLEECE RL TPO											

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
PVC MEMBRANE ROOFING											
VERSIFLEX PVC											
VERSIFLEX KEE HP											
VERSIFLEECE PVC											
VERSIFLEECE KEE HP											
VERSIFLEECE RL PVC											

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
THERMAL INSULATION											
POLYISOCYANURATE INSULATION GLASS REINFORCED FELT (GRF) FACERS											
VERSICORE						✓	✓			✓	✓
VERSICORE NH						✓	✓			✓	✓
VERSICORE RL™						✓	✓			✓	✓
POLYISOCYANURATE INSULATION COATED GLASS FACERS (CGF)											
SECURSHIELD®						✓	✓			✓	✓
SECURSHIELD NH						✓	✓			✓	✓
SECURSHIELD RL						✓	✓			✓	✓
EXPANDED POLYSTYRENE (EPS)											
INSULFOAM FLAT						✓	✓			✓	✓
HIGH-DENSITY POLYISOCYANURATE COVER BOARDS											
VERSICORE HD						✓	✓			✓	✓
SECURSHIELD HD						✓	✓			✓	✓
SECURSHIELD HD PLUS						✓	✓			✓	✓
SECURSHIELD HD RL						✓	✓			✓	✓
COMPOSITE COVER BOARDS											
SECURSHIELD HD COMPOSITE (HD POLYISO & POLYISO)						✓	✓			✓	✓
DURAFACER COMPOSITE (OSB & POLYISO)						✓	✓			✓	✓
SECURSHIELD HD EPS COMPOSITE (HD POLYISO & EXPANDED POLYSTYRENE)						✓	✓			✓	✓

GREEN GLOBES® – NC v2019 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
VEGETATED ROOF SYSTEMS											
CCW 300HV PROTECTION COURSE	✓	✓	✓	✗	✗					✗	✗
CCW 200V PROTECTION COURSE	✓	✓	✓	✗	✗					✗	✗
ROOT BARRIER	✓	✓	✓	✗	✗					✗	✗
MIRADRAIN G4	✓	✓	✓	✗	✗		✓			✗	✗
MIRADRAIN 9800	✓	✓	✓	✗	✗		✓			✗	✗
MIRADRAIN IDB	✓	✓	✓	✗	✗		✓			✗	✗
HYDRO-BLANKET D13	✓	✓	✓	✗	✗					✗	✗
ENGINEERED GROWTH MEDIA	✓	✓	✓	✗	✗		✓			✗	✗
SEDUM PLUGS	✓	✓	✓	✗	✗		✓			✗	✗
SEDUM TILES	✓	✓	✓	✗	✗		✓			✗	✗
SEDUM MATS	✓	✓	✓	✗	✗		✓			✗	✗
ALUMINUM DRAIN BOX	✓	✓	✓	✗	✗		✓			✗	✗
ALUMINUM EDGE	✓	✓	✓	✗	✗		✓			✗	✗
EASY BEND ALUMINUM EDGE	✓	✓	✓	✗	✗		✓			✗	✗
STAINED GLASS STONE		✓		✗			✓			✗	✗
HYDROPACK PRE-GROWN TRAY	✓	✓	✓	✗	✗		✓			✗	✗
GREENGRID PRE-GROWN TRAY	✓	✓	✓	✗	✗		✓			✗	✗
HANOVER PREST PAVERS	✓	✓		✗			✓			✗	✗



VEGETATED ROOF SYSTEMS (CONTINUED)

Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
HANOVER GUARDIAN PAVERS		✔		✔			✔			✔	✔
HANOVER PEDESTAL PAVERS		✔		✔			✔			✔	✔
HANOVER HIGH TAB PEDESTALS		✔		✔			✔			✔	✔
HANOVER EPDM PEDESTALS		✔		✔			✔			✔	✔
HANOVER COMPENSATOR		✔		✔			✔			✔	✔
HANOVER PORCELAIN PAVERS	✔	✔		✔			✔			✔	✔
SUNNY BROOK CONCRETE PAVERS	✔	✔		✔			✔			✔	✔
WAUSAU CONCRETE PAVERS		✔		✔			✔			✔	✔
WESTILE CONCRETE PAVERS		✔		✔			✔			✔	✔
MRP ADJUSTABLE SUPPORTS		✔		✔			✔			✔	✔
RUBBER PAVERS		✔		✔			✔			✔	✔
RUBBER PAVER EDGE RESTRAINT		✔		✔			✔			✔	✔
RUBBER PAVER EASY-BEND EDGE RESTRAINT		✔		✔			✔			✔	✔

GREEN GLOBES® – NC v2019 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
ADHESIVES, PRIMERS, CLEANERS, FASTENERS											
G200SA EPDM BONDING ADHESIVE											
AQUA BASE 120 BONDING ADHESIVE									✓		
CAV-GRIP 3V ADHESIVE/PRIMER								✓	✓		
CAV-GRIP PVC ADHESIVE											
CD-10							✓				
COLD APPLIED ADHESIVE									✓		
EPDM x-23 LOW-VOC BONDING ADHESIVE									✓		
FLEXIBLE DASH ADHESIVE								✓	✓		✓
GYPTEC FASTENER & PLATE											
MP 14-10							✓				
HPV FASTENER							✓				
HPV POLYMER SEAM PLATE											
HPV PRE-ASSEMBLED							✓				
V-150 PRIMER											
HPVX ASAP							✓				
HPVX FASTENER™ & HPV-XL FASTENER							✓				
HYDROBOND PVC WATER-BASED ADHESIVE									✓		
LOW-VOC BONDING ADHESIVE									✓		
LOW VOC EPDM AND TPO PRIMER									✓		



ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
LOW-VOC PVC BONDING ADHESIVE									✔		
LOW-VOC PVC STEP 1 ACTIVATOR									✔		
LOW-VOC PVC STEP 2 PRIMER									✔		
ONE-PART POURABLE SEALER (BLACK/WHITE)									✔		
HPVX PLATE											
EPDM QUICK-APPLIED SEAM TAPE							✔				
PVC AND KEE HP MEMBRANE CLEANER											
PVC CUT-EDGE SEALANT									✔		
PVC STEP 2 PRIMER									✔		
RHINOBOND® PLATE									✔		
SEAM FASTENING PLATE							✔				
G300 LAP SEALANT									✔		
VERSIWELD TPO BONDING ADHESIVE							✔				
WHITE LAP SEALANT									✔		
WEATHERED MEMBRANE CLEANER									✔		
WHITE ONE-PART SEALANT									✔		
TPO CLEAR CUT EDGE SEALANT									✔		
TPO PRIMER (STANDARD AND LOW-VOC)*									✔		
UNIVERSAL SINGLE-PLY SEALANT									✔		
WATER CUT-OFF MASTIC									✔		



Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
AIR & VAPOR BARRIERS											
VAPAIR SEAL 725											
VAPAIR SEAL MD											
VAPAIR SEAL FLASHING FOAM											
SUREMB 90 BASE											
SUREMB 90TG BASE											
SUREMB 120TG											

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
ROOF COATINGS											
X-TENDA COAT CLASSIC ACRYLIC COATING											
X-TENDA COAT XTRA SILICONE COATING											

Rating System and Version	GREEN GLOBES® – NC v2019 - Product Reference Guide For Green Building Rating Systems										
Credit Category	Site			Water Efficiency		Materials			Indoor Environment		
Credit Description	Construction Impacts - Mitigating Heat Island Effect	Stormwater Management	Landscaping	Alternate Sources of Water	Irrigation	Product Life Cycle	Sustainable Materials Attributes	Waste	Source Control and Measurement of Indoor Pollutants - Volatile Organic Compounds	Thermal Comfort - Thermal Comfort Design	Acoustic Comfort - Airborne Noise Isolation
Credit Contributions	Up to 14 PTS	Up to 21 PTS	UP TO 21 PTS	UP to 28 PTS	UP to 27 PTS	Up to 29 PTS	Up to 10 PTS	Up to 22 PTS	Up to 17 PTS	Up to 9 PTS	Up to 6 PTS
SKYLIGHTS											
SUNPATH											
SUNWELD PLUS											



A SINGLE SOURCE FOR SINGLE-PLY ROOFING

800.992.7663 • www.versico.com