

Material Name: TPO Primer

Product #: 310471

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name TPO Primer

Chemical Family Primer, mixture

Restrictions on Use For industrial use only.

Manufacturer Information

Versico LLC 1285 Ritner Highway Carlisle, PA 17013 USA Phone: +1-800-992-7663 Emergency Phone #: +1-800-424-9300 (CHEMTREC)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 2 Skin Corrosion/Irritation - Category 2 Serious Eye Damage/Eye Irritation - Category 2A Skin Sensitization - Category 1A Carcinogenicity - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 3

GHS Label Elements





Signal Word Danger

Hazard Statement(s) Highly flammable liquid and vapor Causes skin irritation Causes serious eye irritation



Material Name: TPO Primer

Product #: 310471

May cause allergic skin reaction Suspected of causing cancer May cause drowsiness or dizziness

Precautionary Statement(s)

Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep container tightly closed Keep away from heat/sparks/open flame/hot surfaces - No smoking Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Take precautionary measures against static discharge Use only non-sparking tools Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Wash thoroughly after handling Contaminated work clothing must not be allowed out of the workplace

Response

In case of fire: Use appropriate media to extinguish IF exposed or concerned: Get medical advice/attention IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse Specific treatment (see label)

Storage

Store in a well-ventilated place. Keep container tightly closed Keep cool Store locked up

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CAS Component Name Percent |
|----------------------------|
|----------------------------|



Material Name: TPO Primer

Product #: 310471

| 64742-89-8 | Solvent naphtha, petroleum, light aliphatic | 10-30 |
|--------------|---|---------|
| Trade Secret | Isophorone Diisocyanate | 0.1-1 |
| 108-88-3 | Toluene | 40-70 |
| Trade Secret | Chlorinated polypropylene | 0.5-1.5 |
| Trade Secret | Heat reactive phenolic resin | 0.1-1 |
| Trade Secret | Isophorondiamine-isobutyraldimine | 0.1-1 |

Section 4 - FIRST AID MEASURES

Description of Necessary Measures

IF exposed or concerned: Get medical advice/attention.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Skin

Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

If swallowed, get medical attention.

Indication of any immediate medical attention and special treatment needed Treat symptomatically and supportively.

Most Important Symptoms/Effects

Acute

Causes skin irritation. Causes serious eye irritation. May cause allergic skin reaction. May cause drowsiness or dizziness.

Delayed

May cause allergic skin reaction. Suspected of causing cancer.

Section 5 - FIRE FIGHTING MEASURES



Material Name: TPO Primer

Extinguishing Media Suitable Extinguishing Media Dry chemical, foam or carbon dioxide. Water may be ineffective.

Unsuitable Extinguishing Media Do not use high-pressure water streams.

Special Hazards Arising from the Chemical Highly flammable liquid and vapor.

Hazardous Combustion Products Carbon monoxide, carbon dioxide, oxides of nitrogen, aldehydes

Fire Fighting Measures

Move container from fire area if it can be done without risk.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Remove all sources of ignition. Avoid breathing vapors. Wear self-contained breathing apparatus and protective clothing. Ventilate the area. Use non-sparking tools. Large spills: Dike for later disposal. Cleanup Methods: Absorb with sand or other non-combustible material. Use clean non-sparking tools to collect absorbed material and place it into loosely-covered metal or plastic containers for later disposal. Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Environmental Precautions

Avoid release to the environment. Collect spillage.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. KEEP OUT OF REACH OF CHILDREN.

Conditions for Safe Storage, Including any Incompatibilities

Product #: 310471



Material Name: TPO Primer

Product #: 310471

Store in a well-ventilated place. Keep container tightly closed Keep cool Store locked up Keep dry. Keep away from heat and ignition sources. Do not puncture or burn containers, even when empty. Empty containers may contain product residue.

Incompatible Materials

Strong oxidizing agents, acids, bases

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

| Toluene | 108-88-3 | | | | | | |
|------------|---|---------------|--|--|--|--|--|
| ACGIH: | 20 ppm TWA | | | | | | |
| NIOSH: | 100 ppm TWA; 375 mg/m3 TWA 150 ppm STEL; 560 mg/m3 STEL | | | | | | |
| | 500 ppm IDLH | | | | | | |
| Europe: | 50 ppm TWA; 192 mg/m3 TWA 100 ppm STEL; 384 mg/m3 STEL | | | | | | |
| | Possibility of significant uptake thr | ough the skin | | | | | |
| OSHA (US): | 200 ppm TWA 300 ppm Ceiling | | | | | | |
| Mexico: | 50 ppm TWA LMPE-PPT; 188 mg/m3 TWA LMPE-PPT | | | | | | |
| | Skin - potential for cutaneous absorption | | | | | | |

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing. Wear protective shoes.

Respiratory Protection

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.



Material Name: TPO Primer

Glove Recommendations

Wear appropriate chemical resistant gloves.

| Appearance | orange to red liquid | Physical State | liquid | | |
|----------------------------|----------------------|--|--------------------------------|--|--|
| Odor | characteristic | Color | orange to red | | |
| Odor Threshold | Not available | рН | Not available | | |
| Melting Point | -95 °C (-139 °F) | Boiling Point | 111 - 141 °C (-232 -259 °F) | | |
| Freezing point | Not available | Evaporation Rate | 2.7 | | |
| Boiling Point Range | Not available | Flammability (solid, gas) | Not available | | |
| Autoignition | 500 °C (932 °F) | Flash Point | 4 °C (40 °F) | | |
| Lower Explosive Limit | 0.9 | Decomposition | Not available | | |
| Upper Explosive Limit | 6.7 | Vapor Pressure | 19.3 mmHg | | |
| Vapor Density (air=1) | 3.4 | Specific Gravity (water=1) | Not available | | |
| Water Solubility | Insoluble | Partition coefficient: n- octanol/water | Not available | | |
| Viscosity | <200 cps | Solubility (Other) | Not available | | |
| Density | 0.75 - 0.81 | VOC | 645 g/L | | |

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Section 10 - STABILITY AND REACTIVITY

Reactivity No reactivity hazard is expected.

Chemical Stability

Stable under normal conditions of use.

Possibility of Hazardous Reactions

Will not polymerize.

Product #: 310471



Material Name: TPO Primer

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

Strong oxidizing agents, acids, bases

Hazardous decomposition products

Carbon monoxide, carbon dioxide, aldehydes

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation May cause drowsiness or dizziness.

Skin Contact

May cause allergic skin reaction. Causes skin irritation.

Eye Contact

Causes serious eye irritation.

Ingestion No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published: Solvent naphtha, petroleum, light aliphatic (64742-89-8) Oral LD50 Rat >2000 mg/kg Dermal LD50 Rat >2000 mg/kg

Inhalation Rat >5000 ppm 1 hour

Isophorone Diisocyanate (Trade Secret) Oral LD50 Rat >20000 mg/kg Dermal LD50 Rabbit 4000 mg/kg Inhalation LC50 Rat 5 mg/l 4 h

Toluene (108-88-3)

Oral LD50 >7000 mg/kg Dermal LD50 12 - 14 g/kg Inhalation LC50 30 - 35 mg/L

Chlorinated polypropylene (Trade Secret) Oral Rat 5000 mg/kg



Material Name: TPO Primer

Product #: 310471

Heat reactive phenolic resin (Trade Secret) Oral LD50 Rat 2160 mg/kg Dermal Rabbit 1880 mg/kg

Isophorondiamine-isobutyraldimine (Trade Secret) Oral Rat 4150 mg/kg [OECD Test Guideline 401] Dermal Rat >5000 mg/kg [OECD Test Guideline 402]

Immediate Effects

Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause allergic skin reaction.

Delayed Effects

May cause allergic skin reaction. Suspected of causing cancer.

Irritation/Corrosivity Data

Causes skin irritation. Causes serious eye irritation.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

May cause allergic skin reaction.

Component Carcinogenicity

| Toluene | 108-88-3 |
|---------|---|
| ACGIH: | A4 - Not Classifiable as a Human Carcinogen |
| IARC: | Monograph 71 [1999]; Monograph 47 [1989] (Group 3 (not classifiable)) |

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

central nervous system

Specific Target Organ Toxicity - Repeated Exposure No target organs identified.

Aspiration hazard

No information available for the product.

Medical Conditions Aggravated by Exposure

No data available.



Material Name: TPO Primer

Product #: 310471

Section 12 - ECOLOGICAL INFORMATION

| Component Analysis - Aqua | | | | | | |
|--|---|--|--|--|--|--|
| Solvent naphtha, petroleum, light aliphatic | 64742-89-8 | | | | | |
| Algae: | EC50 72 h Pseudokirchneriella subcapitata 4700 mg/L IUCLID | | | | | |
| Isophorone Diisocyanate | Trade Secret | | | | | |
| Fish: | LC50 96 h Oncorhynchus mykiss 9.22 mg/L | | | | | |
| Invertebrate: | EC50 48 h Daphnia magna 6.14 mg/L IUCLID | | | | | |
| Toluene | 108-88-3 | | | | | |
| Fish: | LC50 96 h Pimephales promelas 15.22 - 19.05 mg/L [flow-through] (1 day old); LC50 96 h Pimephales promelas 12.6 mg/L [static]; LC50 96 h Oncorhynchus mykiss 5.89 - 7.81 mg/L [flow-through]; LC50 96 h Oncorhynchus mykiss 14.1 - 17.16 mg/L [static]; LC50 96 h Oncorhynchus mykiss 5.8 mg/L [semi-static]; LC50 96 h Lepomis macrochirus 11 - 15 mg/L [static]; LC50 96 h Cryzias latipes 54 mg/L [static]; LC50 96 h Poecilia reticulata 28.2 mg/L [semi-static]; LC50 96 h Poecilia reticulata 50.87 - 70.34 mg/L [static] | | | | | |
| Algae: | EC50 96 h Pseudokirchneriella subcapitata >433 mg/L IUCLID; EC50 72 h Pseudokirchneriella subcapitata 12.5 mg/L [static] EPA | | | | | |
| Invertebrate: | EC50 48 h Daphnia magna 5.46 - 9.83 mg/L [static] EPA; EC50 48 h Daphnia magna 11.5 mg/L IUCLID | | | | | |
| Heat reactive phenolic resin | Trade Secret | | | | | |
| Fish: | LC50 96 h Pimephales promelas 0.25 mg/L [flow-through] | | | | | |
| Algae: | EC50 72 h Desmodesmus subspicatus 1.1 mg/L IUCLID; EC50 96 h Pseudokirchneriella subcapitata 1.9 mg/L IUCLID | | | | | |
| Invertebrate: | EC50 48 h Daphnia magna 0.07 - 0.12 mg/L [static] EPA | | | | | |



Material Name: TPO Primer

Product #: 310471

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

Section 14 - TRANSPORT INFORMATION

US DOT Information: Shipping Name: ADHESIVES Hazard Class: 3 UN/NA #: UN1133 Packing Group: II Required Label(s): 3

IATA Information: Shipping Name: ADHESIVES Hazard Class: 3 UN#: UN1133 Packing Group: II Required Label(s): 3

TDG Information: Shipping Name: ADHESIVES Hazard Class: 3 UN#: UN1133 Packing Group: II

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

| Toluene | 108-88-3 |
|-----------|-----------------------------------|
| SARA 313: | 1 % de minimis concentration |
| CERCLA: | 1000 lb final RQ; 454 kg final RQ |



Material Name: TPO Primer

Product #: 310471

TSCA 12b: Section 4, 1% de minimus concentration (related to Hydrocarbons, C>4)

SARA Section 311/312 (40 CFR 370 Subparts B and C) Acute Health: Yes Chronic Health: Yes Fire: Yes Pressure: No Reactivity: No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component | CAS | CA | MA | MN | NJ | PA |
|-----------|----------|-----|-----|-----|-----|-----|
| Toluene | 108-88-3 | Yes | Yes | Yes | Yes | Yes |

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

| Toluene | 108-88-3 |
|----------------|----------------------------------|
| Repro/Dev. Tox | developmental toxicity, 1/1/1991 |

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on SDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

| Toluene | 108-88-3 |
|---------|----------|
| | 1 % |

Component Analysis - Inventory

Solvent naphtha, petroleum, light aliphatic (64742-89-8)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|--------------|--------------|-------------------|--------------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | No | No | Yes | No | Yes | Yes | Yes |

Isophorone Diisocyanate (Trade Secret)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|--------------|--------------|-------------------|--------------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | No | No | Yes | No | Yes | Yes | Yes |

Toluene (108-88-3)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|----|----|----|----|----|--------------|--------------|-------------------|--------------|----|----|----|
|----|----|----|----|----|--------------|--------------|-------------------|--------------|----|----|----|



Material Name: TPO Primer

| Yes DSL EIN Yes Yes Yes No Yes No Yes Yes | | | | | 1 | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|----|-----|----|-----|-----|-----|
| | Yes | DSL | EIN | Yes | Yes | Vec | No | 105 | No | Yes | Yes | Yes |

Chlorinated polypropylene (Trade Secret)

| US | CA | EU | AU | РН | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|----|-----|-----|--------------|--------------|-------------------|--------------|-----|-----|----|
| Yes | DSL | No | Yes | Yes | Yes | No | Yes | No | Yes | Yes | No |

Heat reactive phenolic resin (Trade Secret)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|--------------|--------------|-------------------|--------------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes | No | Yes | No | Yes | Yes | Yes |

Isophorondiamine-isobutyraldimine (Trade Secret)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|--------------|--------------|-------------------|--------------|-----|-----|----|
| Yes | DSL | EIN | Yes | Yes | Yes | No | No | No | Yes | Yes | No |

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 3 Fire: 3 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 3 Fire: 3 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Revision Date: August 10, 2021 Revision Note: General Update

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency

Product #: 310471



Material Name: TPO Primer

Product #: 310471

for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts[™] - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Disclaimer:

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.