

# Edge To Edge Warranty Protection



# Are YOU Value-Engineering Your Liability?

All components in a roofing system impact one another. Utilizing compatible components that are approved by the roofing system manufacturer protects the building owner from unnecessary liability. Many component manufacturers offer warranties that are not tied to the roofing system manufacturer's warranty. These generic warranties can lead to finger-pointing in the event of a roof leak, which can lead to litigation. Single-Source warranties are only available from roof system manufacturers like Carlisle. In the event of a roof leak, a single company issues the warranty for all roofing system components and is the single point of contact for repairs.

Carlisle has over 60 years of experience in the commercial roofing industry. This extensive experience has allowed us to establish a trusted and respected brand name that backs our superior products, remarkable service, and groundbreaking innovations with 20-to-30-year warranties on most Carlisle-supplied products.





# Edge Metal

## WHY EDGE METAL?


- » Roofs first line of defense against wind.
- » Almost all high wind low-slope roof failures begin at the windward edge and a proper edge system design could prevent much damage.
- » Effective termination and transition between the roof and other building components.
- » Aesthetic feature to the building exterior.
- » The roof is 10% of a total building cost, perimeter edge is typically 1% of the building cost. **However, 60% of roof failures are due to metal edge failures in high wind events!**

## WHY CARLISLE?

- » Ensure compliance with ES-1 which has been an IBC requirement since 2003.
- » Most prefabricated systems are also FM approved.
- » Guaranteed performance covered under total system roofing warranty for up to 30 years and windspeeds up to 120 mph based on profile.
- » Finish warranties available up to 30 years.
- » Prefinished painted steel/aluminum, and TPO/PVC clad available.
- » Prefabricated and shop fabricated system offerings.

## Prefabricated System

- » Warranty terms up to 30 years and windspeeds up to 120 mph.



## Shop Fabricated System

- » Warranty terms up to 20 years and windspeeds up to 90 mph.
- » ES-1 compliance dependent upon contractor's certification status.



For more information on Carlisle's Edge Metal Systems, scan here:





## Prefabricated Cleat with Shop Fabricated Cover

- » Warranty terms up to 20 years and windspeeds up to 90 mph.
- » Galvanized and extruded aluminum cleats available in multiple sizes.



# Roof Gardens

## WHY ROOF GARDENS?

- » Provides physical protection to underlying roof system.
- » Actively manages stormwater through absorption, retention, and detention of precipitation.
- » Increases aesthetic appeal.
- » Increases amenity space within the same building footprint.
- » Can be used to comply with stormwater management regulations.
- » Increases biodiversity in urban environments.
- » Reduces the Urban Heat Island Effect
- » Can be used for rooftop farming which reduces carbon emissions from transportation.
- » Provides educational opportunities when installed on schools or universities.




## WHY CARLISLE?

- » Dedicated and knowledgeable team can provide product support, design support, and maintenance guidelines.
- » Single-Source supplied materials designed to be used in conjunction with a Carlisle warranted roofing system.
- » Stormwater retention systems approved by various local government agencies meet the most stringent stormwater management requirements.
- » Single-Source Warranties (All products must be purchased through Carlisle to be eligible.):
  - No charge Overburden Removal Warranties for Modular Roof Garden Systems.

### Overburden Removal Warranties for Traditional Roof Garden Systems

Duration	Cost	Minimum Charge
10 Years	\$0.20/ft <sup>2</sup>	\$2,000
15 Years	\$0.25/ft <sup>2</sup>	\$2,500
20 Years	\$0.30/ft <sup>2</sup>	\$3,000

Warranty costs limited to 12" of overburden. For overburden depths greater than 12", an additional \$0.01/ft<sup>2</sup> per inch of overburden will be added to the standard cost.



# Carlisle's Wide Variety of Product Offerings

## Traditional Systems

- » Traditional systems offer the most design flexibility as they are not restricted to a specific shape. Nearly any vegetation planted at ground level can be planted on the roof.
- » Carlisle manufactures or sources all components needed for a traditional system, including:
  - Protection Fabric
  - Root Barrier
  - Needled Mineral Wool Retention & Filtration Mat
  - Drainage Composites
  - Engineered Growth Media – Extensive, Intensive, and Agricultural blends available
  - Vegetation – Plugs, Sedum Mats, Sedum Tiles

### FEATURED PRODUCT

## MiraDRAIN® G4 Drainage Composite

Carlisle's MiraDRAIN G4 Drainage Composite combines filter fabric, moisture retention mat, drainage mat, and heavy-duty protection fabric into a single, easy-to-apply product specifically designed for vegetated roofs.



## Tray Systems

- » Tray systems are self-contained systems that arrive fully vegetated and allow for quick and easy installation.
  - Hydropack
    - 23.675" x 15.75" (2.58 square feet/module)
    - 4" deep



- GreenGrid G5
  - 24" x 24" (4 ft<sup>2</sup>/module)
  - Available Depths: 2.75", 4", 6", 8"



# Paver Systems

## WHY PAVERS?

- » Provides physical protection to underlying roof system.
- » Increases building's aesthetics.
- » Creates functional amenity space that can be easily added without increasing the building's footprint.
- » Increases property value.
- » Numerous material, color, and size possibilities.

## WHY CARLISLE?

- » Partnerships with industry-leading manufacturers to source the complete system, including fixed and adjustable height pedestals.
- » No charge 10-year material warranty.

- » Single-Source supplied materials designed to be used in conjunction with a Carlisle warranted roofing system.
- » Single-Source Overburden Removal Warranties (All products must be purchased through Carlisle to be eligible.):

### Overburden Removal Warranty Fees for Paver Systems

Paver area < 10,000 ft <sup>2</sup>	\$1,000
Paver area ≥ 10,000 ft <sup>2</sup> and < 20,000 ft <sup>2</sup>	\$1,500
Paver area ≥ 20,000 ft <sup>2</sup>	\$3,000

Note: Paver overburden warranty fees are based on total overburden area for the project. The fees listed are applicable for any duration up to 20 years, limited by the roof system warranty duration.

Warranty fees are limited to 12 inches of overburden thickness, including drainage layers, insulation, etc. For overburden thicknesses greater than 12 inches, an additional \$0.01/ft<sup>2</sup>/inch of overburden depth will be added to the standard fee.

## Concrete

- » Greatest Compressive Strength
- » Most Resistant Against Wind Uplift
- » Widest Variety of Design Possibilities




## Rubber

- » Light Weight
- » Interlocking Design
- » Cushioned/Shock Absorbing





For more information on  
Carlisle's Roof Garden and  
Paver Systems, scan here:



## Porcelain

- » Anti Slip
- » Stain and Chemical Resistant
- » Exceptionally Resistant to Weathering Effects



## Wood

- » Natural Look
- » Permeable
- » Sustainably Sourced/Harvested



# Skylights

---

## WHY SKYLIGHTS?

---

- » Engineered to capture maximum amounts of daylight which results in energy conservation and cost savings.
  - Typical cost savings for a building incorporating skylights compared to solely fluorescent lights is over 50%.
  - Creates even light distribution.
- » Building occupants receive increased health benefits associated with natural light.
  - All living beings need exposure to the visible radiant energy within natural light for biological optimization. Technically designed skylights provide the right qualities to satisfy basic biological needs.
  - Other benefits include shorter hospital stays and reduced use of pain medication for surgical patients, increased productivity in offices, and increased sales in retail stores.

---

## WHY CARLISLE?

---

- » Partnerships with innovative manufacturers whose products ensure watertightness and maximum light distribution.



# TruGround Conductive Primer

(for use with all quality-control Electronic Leak Detection (ELD) testing methods)

---

## WHY TRUGROUND?

---

- » Liquid-applied primer that provides the necessary conductive substrate needed for all quality-control electronic leak detection methods.
- » Compatible with all single-ply membranes, including bareback membranes and black EPDM without jeopardizing adhesion.

---

## WHY CARLISLE?

---

- » Offers the industry's first and most comprehensive Factory Mutual (FM) rated roof assemblies that include Detec's TruGround conductive medium.
- » Included in Carlisle's Total System Warranty when purchased through Carlisle and installed as part of an approved assembly.



## Commercial Skylights

- » Included in roofing system warranty up to 20-years leak free and 15 years hail breakage (up to 2" in diameter), dependent on glazing material.
- » FM and Miami-Dade approved options.
- » Variety of dome sizes, shapes, materials, and glazing colors available.
- » Additional accessories like curbs or fall protection cages/screens/bars available.
- » Polycarbonate domes offer maximized strength and impact resistance.
- » SkyCalc analysis available free of charge.



## Tubular Skylights

- » Included in roofing system warranty for 10 years.
- » Ideal for use in suspended or hard-ceiling applications.
- » Dimmer systems and electric light kits available.



For more information on Carlisle's warrantable and FM Approved assemblies with TruGround Conductive Primer, scan here:



# GRO Synthetic Turf

## WHY ROOFTOP SYNTHETIC TURF?

- » Low-maintenance, year-round natural appearance.
  - » Hassle-free, environmentally safe roof garden alternative – no need for irrigation, pesticides, or fertilizers.
  - » Elevated over membrane on support grates and adjustable pedestals, the system can conceal rooftop fixtures such as cables and drains.
  - » Adjustable pedestals allow turf surface to remain level over sloped roof systems.
  - » Six turf varieties available including pet-friendly and putting turf options allows for design flexibility.
- » No charge layout assistance and material take-off calculations.
  - » No charge material warranty (3-year turf, 10-year tray and pedestal).
  - » Single-Source Overburden Removal Warranties (All products must be purchased through Carlisle to be eligible).

### Overburden Removal Warranty Fees for GRO Turf System

Turf area < 10,000 ft <sup>2</sup>	\$1,000
Turf area ≥ 10,000 ft <sup>2</sup> and < 20,000 ft <sup>2</sup>	\$1,500
Turf area ≥ 20,000 ft <sup>2</sup>	\$3,000

Note: GRO Synthetic Turf overburden warranty fees are based on total overburden area for the project. The fees listed are applicable for any duration up to 20 years, limited by the roof system warranty duration.

Warranty fees are limited to 12 inches of overburden thickness, including drainage layers, insulation, etc. For overburden thicknesses greater than 12 inches, an additional \$0.01/ft<sup>2</sup>/inch of overburden depth will be added to the standard fee.

## WHY CARLISLE?

- » All materials supplied by a single-source, ensuring compatibility and warranty compliance.

# Anchor Products® U-Anchors® & Accessories

## WHY ROOFTOP ANCHORS?

- » Highly versatile anchoring solution for a wide range of rooftop components, including PV systems, HVAC units, electrical boxes, and more
- » Leak-proof by design when properly installed, maintaining roof integrity
- » Available with EPDM, TPO, and PVC/KEE HP flashing in all applicable standard colors
- » Approved under the 2018 and newer International Building Code for non-structural component anchoring
- » Available accessories include snow retention systems, HVAC tie-down kits, and guy wire tie-down kits

## WHY CARLISLE?

- » Single-source anchors and accessories ensure full system compatibility and warranty compliance
- » Flashings available in all membrane types and colors to seamlessly match the roof system
- » Anchor flashing covered under Carlisle's watertight warranty



For more information on Carlisle's GRO Synthetic Turf System, scan here:



*Anchor Products U-Anchor 2400*

For more information on Carlisle's Anchor Products U-Anchors, scan here:




*Anchor Products U-Anchor 3400*

For information on Carlisle's Anchor Products accessories, scan here:







*EXPERIENCE THE CARLISLE DIFFERENCE*



800-479-6832 | P.O. Box 7000 | Carlisle, PA 17013 | Fax: 717-245-7053 | [www.carlisesyntec.com](http://www.carlisesyntec.com)