



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

**EPDM THERMOSET MEMBRANE ROOFING**

VERSIGARD NON- REINFORCED EPDM									✓	✓	✓	✓		✓		✓			✓
VERSIGARD REINFORCED EPDM									✓	✓	✓			✓		✓			✓
VERSIGARD QA (QUICK-APPLIED) REINFORCED EPDM									✓					✓		✓			✓
VERSIGARD NON-REINFORCED WHITE EPDM				✓					✓	✓				✓		✓			✓
VERSIGARD WHITE QA (QUICK-APPLIED) NON-REINFORCED EPDM				✓					✓					✓		✓			✓
VERSIGARD QA (QUICK-APPLIED) NON-REINFORCED EPDM									✓			✓		✓		✓			✓
VERSIFLEECE AC EPDM									✓					✓		✓			✓
VERSIFLEECE WHITE AC EPDM				✓					✓					✓		✓			✓
VERSIFLEECE RL™ EPDM									✓			✓		✓		✓			✓



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2
<b>THERMOPLASTIC MEMBRANE ROOFING</b>																			
VERSIWELD TPO				✓					✓	✓	✓	✓	✓			✓			✓
VERSIWELD QA (QUICK-APPLIED) TPO				✓					✓			✓	✓			✓			✓
VERSIFLEECE TPO				✓					✓			✓	✓			✓			✓
VERSIFLEECE AC TPO				✓					✓			✓	✓			✓			✓
VERSIFLEECE RL TPO				✓					✓			✓	✓			✓			✓



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
<b>PVC MEMBRANE ROOFING</b>	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
VERSIFLEX PVC				✓					✓	✓	✓	✓		✓		✓			✓
VERSIFLEX KEE HP				✓					✓	✓	✓	✓		✓		✓			✓
VERSIFLEECE PVC				✓					✓		✓	✓		✓		✓			✓
VERSIFLEECE KEE HP				✓					✓		✓	✓		✓		✓			✓
VERSIFLEECE RL PVC				✓					✓		✓	✓		✓		✓			✓



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1	1 PT	Option 1 & 2	Option 1 & 2			
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

**THERMAL INSULATION**

**POLYISOCYANURATE INSULATION GLASS REINFORCED FELT (GRF) FACERS**

VERSICORE									✓	✓	✓	✓			✓				✓
VERSICORE NH									✓	✓	✓	✓	✓		✓				✓
VERSICORE RL™									✓	✓	✓	✓			✓				✓

**POLYISOCYANURATE INSULATION COATED GLASS FACERS (CGF)**

SECURSHIELD®									✓	✓	✓	✓			✓				✓
SECURSHIELD NH									✓	✓	✓	✓	✓		✓				✓
SECURSHIELD RL									✓	✓	✓	✓			✓				✓

**EXPANDED POLYSTYRENE (EPS)**

INSULFOAM FLAT									✓	✓	✓	✓			✓				✓
----------------	--	--	--	--	--	--	--	--	---	---	---	---	--	--	---	--	--	--	---

**HIGH-DENSITY POLYISOCYANURATE COVER BOARDS**

VERSICORE HD									✓	✓		✓			✓				✓
SECURSHIELD HD									✓	✓	✓	✓			✓				✓
SECURSHIELD HD PLUS									✓	✓	✓	✓			✓				✓
SECURSHIELD HD RL									✓	✓	✓	✓			✓				✓

**COMPOSITE COVER BOARDS**

SECURSHIELD HD COMPOSITE (HD POLYISO & POLYISO)									✓	✓	✓	✓			✓				✓
DURAFACER COMPOSITE (OSB & POLYISO)									✓	✓	✓	✓			✓				✓
SECURSHIELD HD EPS COMPOSITE (HD POLYISO & EXPANDED POLYSTYRENE)									✓	✓	✓	✓			✓				✓





Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1 Up to 2 PTS	1 PT	Option1 Up to 3 PTS	Option 1 & 2 Up to 2 PTS	1 PT	1 PT	1 PT	Option 1 & 2 Prerequisite	Option 1 & 2 Up to 20 PTS	Prerequisite	Option 1 Up to 2 PTS	Option 1 & Option 2 Up to 2 PTS	Option 1 Up to 2 PTS	1 PT	Up to 3 PTS	Option 1 & 2 1 PT	Option 1 & 2 Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

**VEGETATED ROOF SYSTEMS**

CCW 300HV PROTECTION COURSE	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
CCW 200V PROTECTION COURSE	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
ROOT BARRIER	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
MIRADRAIN G4	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
MIRADRAIN 9800	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
MIRADRAIN IDB	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
HYDRO-BLANKET D13	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
ENGINEERED GROWTH MEDIA	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
SEDUM PLUGS	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
SEDUM TILES	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
SEDUM MATS	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
ALUMINUM DRAIN BOX	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔			✔
ALUMINUM EDGE	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔			✔
EASY BEND ALUMINUM EDGE	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔			✔
STAINED GLASS STONE		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔

VEGETATED ROOF SYSTEMS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
Credit Description	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
HYDROPACK PRE-GROWN TRAY	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔	✔		✔				✔
GREENGRID PRE-GROWN TRAY	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔	✔		✔				✔
HANOVER PREST PAVERS		✔	✔	✔	✔	✔	✔		✔			✔	✔		✔				✔
HANOVER GUARDIAN PAVERS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
HANOVER PEDESTAL PAVERS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
HANOVER HIGH TAB PEDESTALS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
HANOVER EPDM PEDESTALS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
HANOVER COMPENSATOR		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
HANOVER PORCELAIN PAVERS		✔	✔	✔	✔	✔	✔		✔			✔	✔		✔				✔
SUNNY BROOK CONCRETE PAVERS		✔	✔	✔	✔	✔	✔		✔			✔	✔		✔				✔
WAUSAU CONCRETE PAVERS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
WESTILE CONCRETE PAVERS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
MRP ADJUSTABLE SUPPORTS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
RUBBER PAVERS		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
RUBBER PAVER EDGE RESTRAINT		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔
RUBBER PAVER EASY-BEND EDGE RESTRAINT		✔	✔		✔	✔	✔		✔			✔	✔		✔				✔





Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

**ADHESIVES, PRIMERS, CLEANERS, FASTENERS**

G200SA EPDM BONDING ADHESIVE														✔						
AQUA BASE 120 BONDING ADHESIVE														✔	✔					
CAV-GRIP 3V ADHESIVE/PRIMER										✔				✔	✔					
CAV-GRIP PVC ADHESIVE										✔				✔	✔					
CD-10												✔								
COLD APPLIED ADHESIVE														✔	✔					
EPDM x-23 LOW-VOC BONDING ADHESIVE														✔	✔					
FLEXIBLE DASH ADHESIVE										✔				✔	✔					✔
GYPTEC FASTENER & PLATE																				
MP 14-10													✔							
HPV FASTENER													✔							
HPV POLYMER SEAM PLATE																				
HPV PRE-ASSEMBLED													✔							
V-150 PRIMER														✔						
HPVX ASAP													✔							

ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
Credit Description	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
HPVX FASTENER™ & HPV-XL FASTENER												✔							
HYDROBOND PVC WATER-BASED ADHESIVE													✔	✔					
LOW-VOC BONDING ADHESIVE													✔	✔					
LOW VOC EPDM AND TPO PRIMER													✔	✔					
LOW-VOC PVC BONDING ADHESIVE													✔	✔					
LOW-VOC PVC STEP 1 ACTIVATOR													✔	✔					
LOW-VOC PVC STEP 2 PRIMER													✔	✔					
ONE-PART POURABLE SEALER (BLACK/WHITE)													✔	✔					
HPVX PLATE											✔								
EPDM QUICK-APPLIED SEAM TAPE													✔	✔					
PVC AND KEE HP MEMBRANE CLEANER													✔	✔					
PVC CUT-EDGE SEALANT													✔	✔					
PVC STEP 2 PRIMER													✔	✔					
RHINOBOND® PLATE											✔								
SEAM FASTENING PLATE											✔								
G300 LAP SEALANT													✔	✔					
VERSIWELD TPO BONDING ADHESIVE													✔						



ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
Credit Description	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
WHITE LAP SEALANT																			
TPO CLEAR CUT EDGE SEALANT																			
TPO PRIMER (STANDARD AND LOW-VOC)*																			
UNIVERSAL SINGLE-PLY SEALANT																			
WATER CUT-OFF MASTIC																			
WEATHERED MEMBRANE CLEANER																			
WHITE ONE-PART SEALANT																			



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

**AIR & VAPOR BARRIERS**

VAPAIR SEAL 725									✓					✓						
VAPAIR SEAL MD									✓					✓						
VAPAIR SEAL FLASHING FOAM									✓					✓	✓					
SUREMB 90 BASE									✓					✓						
SUREMB 90TG BASE									✓			✓		✓						
SUREMB 120TG									✓			✓		✓						



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

**ROOF COATINGS**

X-TENDA COAT CLASSIC ACRYLIC COATING																			
X-TENDA COAT XTRA SILICONE COATING																			



Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide   For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
<b>SKYLIGHTS</b>	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
SUNPATH									✓							✓	✓	✓	
SUNWELD PLUS									✓		✓					✓	✓	✓	



A SINGLE SOURCE FOR SINGLE-PLY ROOFING

800.992.7663 • www.versico.com