

#### Material Name: VapAir Seal™ MD

Product #:321931

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name VapAir Seal MD Synonyms Self-Adhering Rubberized Asphalt Membrane Chemical Family Rubber Asphalt products Product Use Waterproofing membrane Restrictions on Use For industrial use only.

#### **Manufacturer Information**

Carlisle SynTec 1285 Ritner Highway Carlisle, PA 17013 USA Phone: +1-800-479-6832 Emergency Phone #: +1-800-424-9300 (CHEMTREC)

Section 2 - HAZARDS IDENTIFICATION

#### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Skin Corrosion/Irritation - Category 2 Reproductive Toxicity - Category 1B Specific Target Organ Toxicity - Single Exposure - Category 2 ( liver, kidneys, thymus )

#### **GHS Label Elements**

Symbol(s)



Signal Word Danger

## Hazard Statement(s)

Causes skin irritation May damage fertility or the unborn child May cause damage to organs

#### **Precautionary Statement(s)**

#### Prevention



#### Material Name: VapAir Seal™ MD

Product #:321931

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapours/spray Wash thoroughly after handling Do not eat, drink or smoke when using this product

#### Response

If exposed or concerned: Call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse Specific treatment (see label)

#### Storage

Store locked up

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

#### **Other Hazards**

No additional information available.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
64742-52-5	Distillates, petroleum, hydrotreated heavy naphthenic	5-10
8052-42-4	Asphalt	0-75
64742-93-4	Asphalt, oxidized	0-75
68955-27-1	Distillates, petroleum, petroleum residues vacuum	0-75
64741-56-6	Residues, petroleum, vacuum	0-75
Mixture	Fatty acids, tall-oil, low-boiling	0.8

## Section 4 - FIRST AID MEASURES

#### **Description of Necessary Measures**

If exposed or concerned: Call a POISON CENTER or doctor/physician.

#### Inhalation

Inhalation unlikely due to physical form. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Skin



#### Material Name: VapAir Seal™ MD

Wash exposed skin with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.

#### Eyes

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

#### Ingestion

Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

**Indication of any immediate medical attention and special treatment needed** Treat symptomatically and supportively.

#### Most Important Symptoms/Effects

Acute Causes skin irritation. May cause damage to the kidneys, liver, thymus. Delayed May damage fertility or the unborn child.

**Note to Physicians** Contains ASPHALT.

## Section 5 - FIREFIGHTING MEASURES

Extinguishing Media Suitable Extinguishing Media Use carbon dioxide, regular dry chemical, regular foam or water. Unsuitable Extinguishing Media None known.

**Special Hazards Arising from the Chemical** Slight fire hazard.

#### Hazardous Combustion Products Oxides of carbon, hydrocarbons

#### **Special Protective Equipment and Precautions for Firefighters**

Wear full protective firefighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

#### Methods and Materials for Containment and Cleaning Up

Remove all sources of ignition. Avoid inhalation of material or combustion by-products. Ventilate affected area. Absorb with earth, sand or other non-combustible material and transfer to container. Dispose in accordance with all applicable regulations.

#### **Environmental Precautions**

Avoid release to the environment.



#### Material Name: VapAir Seal™ MD

## Section 7 - HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin and clothing. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. KEEP OUT OF REACH OF CHILDREN.

#### Conditions for Safe Storage, Including any Incompatibilities

Store locked up

Store in a cool, dry place. Keep container tightly closed and in a well-ventilated place. Keep away from heat and ignition sources. Keep away from incompatible materials. Do not cut, puncture, or weld on or near this container.

#### **Incompatible Materials**

Strong acids, strong oxidizing agents

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposu	ire Limits							
Asphalt	8052-42-4							
ACGIH:	0.5 mg/m <sup>3</sup> TWA as benzene solu	0.5 mg/m <sup>3</sup> TWA as benzene soluble aerosol fume, inhalable fraction						
NIOSH:	5 mg/m <sup>3</sup> Ceiling fume 15 min	5 mg/m <sup>3</sup> Ceiling fume 15 min						
Mexico:	5 mg/m <sup>3</sup> TWA LMPE-PPT 10 mg/m <sup>3</sup> STEL [LMPE-CT]							
Hydrogen sulfide	<b>en sulfide</b> 7783-06-4							
ACGIH:	1 ppm TWA	5 ppm STEL						
NIOSH:	10 ppm Ceiling 10 min; 15 mg/n	n <sup>3</sup> Ceiling 10 min						
	100 ppm IDLH							
Europe:	5 ppm TWA; 7 mg/m <sup>3</sup> TWA	10 ppm STEL; 14 mg/m <sup>3</sup> STEL						
OSHA (US):	20 ppm Ceiling							
Mexico:	10 ppm TWA LMPE-PPT; 14 m	g/m <sup>3</sup> TWA LMPE-PPT						
	15 ppm STEL [LMPE-CT]; 21 n	ng/m <sup>3</sup> STEL [LMPE-CT]						

#### **Biological limit value**

There are no biological limit values for any of this product's components.

#### **Engineering Controls**

Provide adequate ventilation. Ensure compliance with applicable exposure limits.

#### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Wear safety glasses or safety goggles, with a faceshield, as appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.



#### Material Name: VapAir Seal™ MD

#### Skin Protection

Wear chemical resistant clothing and rubber boots when potential for contact with the material exists. Recommended material: protective skin cream.

#### **Respiratory Protection**

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### **Glove Recommendations**

Wear appropriate chemical resistant gloves.

Appearance	Black rubberized asphalt	Physical State	solid
Odor	Slight,petroleum	Color	black
Odor Threshold	Not available	рН	Not available
Melting Point	Not available	Boiling Point	Not available
Freezing point	Not available	Evaporation Rate	<0.01
<b>Boiling Point Range</b>	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	232°C (>450 °F)
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Negligible	Partition coefficient: n- octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	1 - 1.2 (relative)		

#### **Other Information**

No additional information available.

## Section 10 - STABILITY AND REACTIVITY

#### Reactivity

No reactivity hazard is expected.

#### Chemical Stability

Stable under normal conditions of use.

#### Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

#### **Conditions to Avoid**



#### Material Name: VapAir Seal™ MD

Product #:321931

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

#### **Incompatible Materials**

Strong acids, strong oxidizing agents

#### Hazardous decomposition products

Oxides of carbon, hydrocarbons

## Section 11 - TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

#### Inhalation

Not a likely route of exposure.

# Skin Contact

Causes skin irritation.

## Eye Contact

May cause mild eye irritation. **Ingestion** 

May cause gastrointestinal irritation.

#### Acute and Chronic Toxicity

#### **Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published: Asphalt (8052-42-4) Oral LD50 Rat >5000 mg/kg Dermal LD50 Rabbit >2000 mg/kg Asphalt, oxidized (64742-93-4) Oral LD50 Rat >5000 mg/kg Dermal LD50 Rabbit >2000 mg/kg Distillates, petroleum, petroleum residues vacuum (68955-27-1) Oral LD50 Rat 4320 mg/kg Dermal LD50 Rabbit >2000 mg/kg Residues, petroleum, vacuum (64741-56-6) Oral LD50 Rat 4320 mg/kg Dermal LD50 Rabbit >2000 mg/kg Hydrogen sulfide (7783-06-4) Inhalation LC50 Rat 0.99 mg/L 1 h Fatty acids, tall-oil, low-boiling (Mixture) Oral LD50 Rat >2000 mg/kg Dermal LD50 Rat >2000 mg/kg

#### **Immediate Effects**

Causes skin irritation. May cause damage to the kidneys, liver, thymus.

#### **Delayed Effects**

May damage fertility or the unborn child.

#### **Irritation/Corrosivity Data**

May cause mild skin irritation. May cause mild eye irritation. May cause respiratory irritation.

#### **Respiratory Sensitization**



#### Material Name: VapAir Seal™ MD

No data available.

#### **Dermal Sensitization**

No data available.

#### **Component Carcinogenicity**

Asphalt	8052-42-4
ACGIH:	A4 - Not Classifiable as a Human Carcinogen (fume, coal tar-free)
IARC:	Monograph 103 [2013]; Supplement 7 [1987] (extracts of steam-refined and air-refined); Monograph 35 [1985] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 2 (considered to be carcinogenic for man, aerosol and vapor)
OSHA:	Present
Asphalt, oxidized	64742-93-4
IARC:	Monograph 103 [2013] (and their emissions during roofing) (Group 2A (probably carcinogenic to humans))
OSHA:	Present
Residues, petroleum, vacuum	64741-56-6
IARC:	Monograph 103 [2013] (Group 2B (possibly carcinogenic to humans))
OSHA:	Present
Polycyclic aromatic hydrocarbons	130498-29-2
NTP:	Reasonably Anticipated To Be A Human Carcinogen
OSHA:	Present

**Germ Cell Mutagenicity** No data available.

## Tumorigenic Data

No data available

#### **Reproductive Toxicity**

May damage fertility or the unborn child.

## **Specific Target Organ Toxicity - Single Exposure** kidneys, liver, thymus

**Specific Target Organ Toxicity - Repeated Exposure** No target organs identified.

# Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure



#### Material Name: VapAir Seal™ MD

No data available.

#### Additional Data

No additional information available.

Section 12 - ECOLOGICAL INFORMATION

#### Ecotoxicity

Avoid release to the environment.

Component Analysis - Aquatic To	xicity			
Distillates, petroleum, hydrotreated heavy naphthenic	64742-52-5			
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L			
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID			
Asphalt, oxidized	64742-93-4			
Algae:	EC50 72 h Pseudokirchneriella subcapitata 56 mg/L IUCLID			
Distillates, petroleum, petroleum residues vacuum	68955-27-1			
Fish:	LC50 96 h Brachydanio rerio 48 mg/L [semi-static]			
Residues, petroleum, vacuum	64741-56-6			
Fish:	LC50 96 h Brachydanio rerio 48 mg/L [semi-static]			
Hydrogen sulfide	7783-06-4			
Fish:	LC50 96 h Lepomis macrochirus 0.0448 mg/L [flow-through]; LC50 96 h Pimephales promelas 0.016 mg/L [flow-through]			
Fatty acids, tall-oil, low-boiling	Mixture			
Fish:	LC50 96 h Brachydanio rerio 50 - 100 mg/L [semi-static]			
Algae:	EC50 72 h Pseudokirchneriella subcapitata >10 mg/L IUCLID			
Invertebrate:	EC50 48 h Daphnia magna 70 mg/L IUCLID			

#### **Persistence and Degradability**

No information available for the product.

#### **Bioaccumulative Potential**

No information available for the product.

#### Mobility

No information available for the product.

#### **Other Toxicity**

No additional information available.



#### Material Name: VapAir Seal™ MD

## Section 13 - DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Section 14 - TRANSPORT INFORMATION

# US DOT Information:

UN/NA #: Not regulated

# **IATA Information:** UN#: Not regulated

## **IMDG Information:**

**UN#:** Not regulated

#### **TDG Information:**

UN#: Not regulated

## Section 15 - REGULATORY INFORMATION

#### **U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Hydrogen sulfide	7783-06-4
SARA 302:	500 lb TPQ
SARA 313:	1 % de minimis concentration
CERCLA:	100 lb final RQ; 45.4 kg final RQ
OSHA (safety):	1500 lb TQ
SARA 304:	100 lb EPCRA RQ

#### SARA Section 311/312 (40 CFR 370 Subparts B and C) Acute Health: Yes Chronic Health: Yes Fire: Yes Pressure: No Reactivity: No

#### **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Asphalt	8052-42-4	Yes	Yes	Yes	Yes	Yes
Asphalt, oxidized	64742-93-4	No	No	No	Yes	No
Hydrogen sulfide	7783-06-4	Yes	Yes	Yes	Yes	Yes



#### Material Name: VapAir Seal™ MD

Polycyclic aromatic hydrocarbons	130498-29-2	No	No	Yes	Yes	Yes	
----------------------------------	-------------	----	----	-----	-----	-----	--

#### Not listed under California Proposition 65

#### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Hydrogen sulfide	7783-06-4
	1 %

#### **Component Analysis - Inventory**

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

#### Asphalt (8052-42-4)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

#### Asphalt, oxidized (64742-93-4)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	No

#### Distillates, petroleum, petroleum residues vacuum (68955-27-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	No	No	No	Yes	No	Yes	No	No

#### Residues, petroleum, vacuum (64741-56-6)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

Hydrogen sulfide (7783-06-4)



#### Material Name: VapAir Seal™ MD

#### Product #:321931

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

#### Polycyclic aromatic hydrocarbons (130498-29-2)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
No	No	No	No	No	No	No	No	No	No	No	Yes

#### Fatty acids, tall-oil, low-boiling (Mixture)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	No	No	No	Yes	No	Yes	Yes	No

## Section 16 - OTHER INFORMATION

#### **HMIS Rating**

Health: 2\* Fire: 1 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

#### **NFPA Ratings**

Health: 2 Fire: 1 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### Summary of Changes

New SDS: May 18, 2015

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National



#### Material Name: VapAir Seal™ MD

Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

#### **Other Information**

#### **Disclaimer:**

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, CCWI Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use