

SecurEdge™ Coping and Fascia Ratings

SECUREDGE COPING

PRODUCT NAME	MAXIMUM TESTED SIZE (INCHES)			COVER MATERIAL	CLEAT MATERIAL	FM APPROVAL RATING	ES-1 RATING (PSF)	
	Inside Face	Wall Width	Outside Face	Material	Anchor Clips	Corner FM Rating	Vertical Load	Horizontal Load
SecurEdge Snap-On Coping								
SecurEdge Snap-On Coping	4	10	6	.050, .063	20 ga	1-150	403	403
SecurEdge Snap-On Coping	4	12	6	.050, .063	20 ga	1-150	393	393
SecurEdge Snap-On Coping	4	16	6	.050, .063	20 ga	1-105	272	272
SecurEdge Snap-On Coping	4	16	12	.050, .063	20 ga	1-75	202	202
SecurEdge Snap-On Coping	4	24	6	.050, .063	20 ga	1-60	186	186
SecurEdge Snap-On Coping	4	24	12	.050, .063	20 ga	1-75	191	191
SecurEdge Snap-On Coping	4	32	6	.050, .063	20 ga	1-60	152	152
SecurEdge Snap-On Coping	4	10	6	24ga, 22ga, .040	20 ga	1-135	363	363
SecurEdge Snap-On Coping	4	12	6	24ga, 22ga, .040	20 ga	1-90	263	263
SecurEdge Snap-On Coping	4	16	6	24ga, 22ga, .040	20 ga	1-90	231	231
SecurEdge Snap-On Coping	4	16	12	24ga, 22ga, .040	20 ga	NA	147	147
SecurEdge Snap-On Coping	4	24	6	24ga, 22ga, .040	20 ga	NA	131	131
SecurEdge Gold Coping								
SecurEdge Gold Coping	4	10	6	.050, .063	16 ga	1-195	513	513
SecurEdge Gold Coping	4	12	6	.050, .063	16 ga	1-150	403	403
SecurEdge Gold Coping	4	16	6	.050, .063	16 ga	1-90	262	262
SecurEdge Gold Coping	4	16	12	.050, .063	16 ga	1-90	261	261
SecurEdge Gold Coping	4	24	6	.050, .063	16 ga	1-90	236	236
SecurEdge Gold Coping	4	24	12	.050, .063	16 ga	1-75	191	191
SecurEdge Gold Coping	4	32	6	.050, .063	16 ga	1-60	171	171
SecurEdge Gold Coping	4	10	6	24ga, 22ga, .040	16 ga	1-150	383	383
SecurEdge Gold Coping	4	12	6	24ga, 22ga, .040	16 ga	1-135	343	343
SecurEdge Gold Coping	4	16	6	24ga, 22ga, .040	16 ga	1-90	232	232
SecurEdge Gold Coping	4	16	12	24ga, 22ga, .040	16 ga	1-90	227	227
SecurEdge Gold Coping	4	24	6	24ga, 22ga, .040	16 ga	1-75	211	211
SecurEdge Gold Coping	4	24	12	24ga, 22ga, .040	16 ga	1-60	171	171
SecurEdge Continuous Cleat Coping								
SecurEdge Continuous Cleat Coping	4	16	6	.050, .063	20 ga	1-165	422	243
SecurEdge Continuous Cleat Coping	4	16	12	.050, .063	20 ga	1-90	402	231
SecurEdge Continuous Cleat Coping	4	24	6	.050, .063	20 ga	1-150	226	130
SecurEdge Continuous Cleat Coping	4	24	12	.050, .063	20 ga	1-90	241	139
SecurEdge Continuous Cleat Coping	4	32	6	.050, .063	20 ga	1-60	182	105
SecurEdge Continuous Cleat Coping	4	16	6	24ga, 22ga, .040	20 ga	1-120	312	179

NOTE: Bold text denotes aluminum; Regular text denotes steel

SecurEdge Continuous Cleat Coping	Inside Face	Wall Width	Outside Face	Material	Cleat	Corner FM Rating	Vertical Load	Horizontal Load
SecurEdge Continuous Cleat Coping	4	16	12	24ga, 22ga, .040	20 ga	1-90	272	156
SecurEdge Continuous Cleat Coping	4	24	6	24ga, 22ga, .040	20 ga	1-60	166	95
SecurEdge Continuous Cleat Coping	4	24	12	24ga, 22ga, .040	20 ga	1-60	171	98
SecurEdge Cantilever Coping	Inside Face	Wall Width	Outside Face	Material	Anchor Clips	Corner FM Rating	Vertical Load	Horizontal Load
SecurEdge Cantilever Coping	4	16	6	.050, .063	20 ga	1-75	221	221
SecurEdge Cantilever Coping	4	24	10	.050, .063	20 ga	1-60	161	161
SecurEdge Cantilever Coping	4	16	6	24ga, 22ga, .040	20 ga	1-75	221	221
SecurEdge Cantilever Coping	4	24	10	24ga, 22ga, .040	20 ga	NA	151	151
SecurEdge CF Snap-On Coping	Inside Face	Wall Width	Outside Face	Material	Anchor Clips	Corner FM Rating	Vertical Load	Horizontal Load
SecurEdge CF Snap-On Coping	4	20	6	24ga	20 ga	N/A	118	68
SecurEdge CF Snap-On Coping	4	12	6	22ga, .050, .063	20 ga	1-105	269	155
SecurEdge CF Snap-On Coping	4	16	6	22ga, .050, .063	20 ga	1-115	199	115
SecurEdge CF Snap-On Coping	4	20	6	22ga, .050, .063	20 ga	1-60	168	97
SecurEdge CF Snap-On Coping	4	24	6	22ga, .050, .063	20 ga	N/A	118	68
SecurEdge CF Snap-On Coping	4	16	12	22ga, .050, .063	20 ga	N/A	143	83
SecurEdge CF Snap-On Coping	4	20	12	22ga, .050, .063	20 ga	N/A	143	83
SecurEdge CF Snap-On Coping	4	24	12	22ga, .050, .063	20 ga	N/A	93	53
SecurEdge CF Gold Coping	Inside Face	Wall Width	Outside Face	Material	Anchor Clips	Corner FM Approval Rating	Vertical Load	Horizontal Load
SecurEdge CF Gold Coping	4	16	6	22ga, .050, .063	16 ga	1-120	329	190
SecurEdge CF Gold Coping	4	20	6	22ga, .050, .063	16 ga	1-105	293	169
SecurEdge CF Gold Coping	4	24	6	22ga, .050, .063	16 ga	1-90	243	140
SecurEdge CF Gold Coping	4	28	6	22ga, .050, .063	16 ga	1-75	203	117
SecurEdge CF Gold Coping	4	32	6	22ga, .050, .063	16 ga	1-60	168	97
SecurEdge CF Gold Coping	4	16	12	22ga, .050, .063	16 ga	1-75	213	123
SecurEdge CF Gold Coping	4	20	12	22ga, .050, .063	16 ga	1-75	203	117
SecurEdge CF Gold Coping	4	24	12	22ga, .050, .063	16 ga	1-60	168	97
SecurEdge CF Gold Coping	4	24	12	.063	16 ga	1-90	233	135
SecurEdge CF Gold Coping	4	28	12	.063	16 ga	1-90	233	135
SecurEdge CF Gold Coping	4	32	12	.080	16 ga	1-75	203	117

NOTE: **Bold** text denotes aluminum; Regular text denotes steel

SECUREDGE FASCIA

PRODUCT NAME	MAXIMUM TESTED SIZE (INCHES)	COVER MATERIAL	FM APPROVAL RATING	ES-1 RATING
SecurEdge EX Standard Fascia	Face Height	Materials	Corner FM Rating	PSF
SecurEdge EX Snap-On Fascia	5.5	24ga, 22ga, .040	I-225	275
SecurEdge EX Snap-On Fascia	8.5	24ga, 22ga, .040	I-120	155
SecurEdge EX Extended Fascia	13	.050, .063	I-135	176
SecurEdge EX Canted Fascia	13.5	.050, .063	I-105	139
SecurEdge EX Heavy Gauge HG Fascia	7	.050, .063	I-300	365
SecurEdge EX Drip Edge	6	24ga, 22ga, .040	I-98	577
SecurEdge One Fascia	Face Height	Materials	Corner FM Rating	PSF
SecurEdge One Fascia	5	24ga, 22ga, .040, .050, .063	I-315	396
SecurEdge One Fascia	8	24ga, 22ga, .040, .050, .063	I-120	155
SecurEdge Snap-On Canted Fascia	Face Height	Materials	Corner FM Rating	PSF
SecurEdge Snap-On Canted Fascia	8.25	24ga, 22ga, .040	I-150	196
SecurEdge Snap-On Canted Fascia	8.25	.050, .063	I-165	216
SecurEdge Snap-On Canted Fascia	12.25	.050, .063	I-90	116
SecurEdge Crimp-On Canted Fascia	Face Height	Materials	Corner FM Rating	PSF
SecurEdge Crimp-On Canted Fascia	8	24ga, 22ga, .040	I-105	126
SecurEdge Crimp-On Canted Fascia	8	.050, .063	I-150	196
SecurEdge Crimp-On Canted Fascia	12.5	.050, .063	I-75	97
SecurEdge Drip Edge/SecurEdge Gravel Stop	Face Height	Materials	Corner FM Rating	PSF
SecurEdge Drip Edge - Kynar, TPO & PVC Versions	6	22ga, 24ga, .040, .050, .063	I-225	282
SecurEdge Drip Edge - Kynar, TPO & PVC Versions	10	22ga, 24ga, .040, .050, .063	I-135	177
SecurEdge Gravel Stop	6	22ga, 24ga, .040, .050, .063	I-165	216
SecurEdge Gravel Stop	10	22ga, 24ga, .040, .050, .063	I-210	258
SecurEdge CF Snap-On Fascia	Face Height	Materials	Corner FM Rating	PSF
SecurEdge CF Snap-On Fascia	5.25	22ga, 24ga	I-315	381
SecurEdge CF Snap-On Fascia	5.25	.040, .050, .063	I-270	326
SecurEdge CF Snap-On Fascia	6	.040, .050, .063	I-165	211
SecurEdge CF Snap-On Fascia	6	22ga, 24ga	I-195	248
SecurEdge CF Snap-On Fascia	10	22ga, 24ga	I-105	136
SecurEdge CF Snap-On Fascia	10	.040, .050, .063	I-90	111

NOTE: **Bold** text denotes aluminum; Regular text denotes steel