

**DA-2019-01**  
**January 2019 Specification Update**  
**February 20, 2019**

**To: Carlisle SynTec Systems' Manufacturer's Representatives**

Below is a summary of all recent updates to Carlisle's specifications and details.

<b>EPDM Changes</b>
<a href="#">Added #85 cylinder option for CAV-GRIP III to Product Section</a>
<a href="#">Modified product description for VapAir Seal 725TR in Product Section</a>
<a href="#">Modified description of steel roller for FAST installation in Installation Section</a>
<a href="#">Modified optimal set time for FAST Adhesive in Installation Section</a>
<a href="#">Modified membrane splicing for 25/30 Year Warranties in Installation Section</a>
<a href="#">Modified walkway caution note in Spec Attachment I – Ballast Criteria</a>
Deleted standard CAV-GRIP from primer options
<a href="#">Edited MF-2.1 – “Membrane Securement (Option 1)”</a>
<a href="#">Edited MF-2.2 – “Membrane Securement (Option 2)”</a>
<a href="#">Edited U-6D – “Add-On Drain”</a>
<a href="#">Edited U-5A – “Curb Flashing”</a>
<a href="#">Edited U-5A.1 – “Curb with 20” Wide Pressure-Sensitive Cured Flashing”</a>
<a href="#">Edited U-8B – “Field-Fabricated Pipe Seal”</a>
<a href="#">Edited U-8B.1 – “Field-Fabricated Pipe/Structural Steel Tube Flashing for 25/30 Year Warranties”</a>
<a href="#">Edited U-8C – “Flexible Penetration”</a>
<a href="#">Edited U-8D – “Field-Fabricated Hot Stack”</a>
<a href="#">Edited U-13E – “Tie-In with Shingled or Metal Panel Roof”</a>
<a href="#">Edited MF-2.2 – “Membrane Securement with Pressure-Sensitive RUSS (Option 2) for 25/30 Year Warranties”</a>
<a href="#">Edited U-8A.1 – “Pre-Molded Pressure-Sensitive Pipe Seal with 90-mil Membrane or 25/30 Year Warranties”</a>
<b>Thermoplastic (TPO/PVC) Changes</b>
<a href="#">Added #85 cylinder option for CAV-GRIP III to Product Section</a>
<a href="#">Modified product description for VapAir Seal 725TR in Product Section</a>
<a href="#">Modified description of steel roller for FAST installation in Installation Section</a>
<a href="#">Modified optimal set time for FAST Adhesive in Installation Section</a>
<a href="#">Added Sure-Weld TPO Crossgrip Walkway Rolls to Product Section</a>
Deleted standard CAV-GRIP from primer options
<a href="#">Added IW-4 – “Induction Welded Wall Attachment” to Spec Attachment I</a>
<a href="#">Added U-12F – “Parapet Flashing/No Adhesion – Any Height Option”</a>

<a href="#">Edited U-2 – “Membrane Splice”</a>
<a href="#">Edited U-6D – “Add-On Drain”</a>
<a href="#">Edited U-5BT – “Curb with Sure-White Pressure-Sensitive EPDM Curb Wrap Flashing”</a>
<a href="#">Edited U-18B – “Scupper at Deck – TPO”</a>
<a href="#">Edited MF-2.1 – “TPO Membrane Securement with Pressure-Sensitive RUSS”</a>
<a href="#">Edited MF-2 – “Membrane Securement”</a>
<a href="#">Edited MF-2A – “Mechanically Fastened Membrane Splice”</a>
<a href="#">Edited U-24 – “Sleeper”</a>
<a href="#">Edited RB-2 – “Angle Change Securement Method with RhinoBond Plates”</a>
<b>FleeceBACK (EPDM/TPO/PVC) Changes</b>
<a href="#">Added #85 cylinder option for CAV-GRIP III to Product Section</a>
<a href="#">Modified product description for VapAir Seal 725TR in Product Section</a>
<a href="#">Modified description of steel roller for FAST installation in Installation Section</a>
<a href="#">Modified optimal set time for FAST Adhesive in Installation Section</a>
<a href="#">Modified perimeter sheet sizes and installation in Attachment III – FleeceBACK FR TPO Mechanically Fastened Roofing System</a>
Deleted standard CAV-GRIP from primer options
No detail modifications
<b>FleeceBACK AFX (EPDM/TPO) Changes</b>
Added #85 cylinder option for CAV-GRIP III to Product Section
Modified product description for VapAir Seal 725TR in Product Section
<a href="#">Added Weldable Breather Vents to Product Section</a>
Deleted standard CAV-GRIP from primer options
No detail modifications
<b>Spec Supplement</b>
<a href="#">Added G-14-19 – “VACUSEAL Vent Secured Roofing System”</a>
<a href="#">Added G-15-19 – “ChannelDry Roof Assembly for Lightweight Structural Concrete Decks”</a>
Deleted standard CAV-GRIP from G-03-19, G-04-19, G-08-19, G-12-19, and P-01-19
<a href="#">Added Non-Weldable or Weldable, One-Way Pressure Relief Breather Vents to G-04-19 – “Adhered Application Over Lightweight Insulating Concrete”</a>
<a href="#">Added Non-Weldable or Weldable, One-Way Pressure Relief Breather Vents to P-01-19 – “Related Products”</a>
<a href="#">Added Sure-Weld TPO Crossgrip Walkway Rolls to G-06-19 – “Roof Walkway Installations”</a>
<a href="#">Modified VapAir Seal 725TR sizing in G-08-19 – “Application Procedures for 725TR Air and Vapor Barrier”</a>
<a href="#">Modified VapAir Seal 725TR sizing in P-01-19 – “Related Products”</a>
<a href="#">Modified CAV-GRIP III coverage rates in G-08-19 – “Application Procedures for 725TR Air and Vapor Barrier”</a>
<a href="#">Modified CAV-GRIP III coverage rates in G-12-19 – “Application Procedures for Carlisle’s VapAir Seal MD Air and Vapor Barrier”</a>
<a href="#">Modified CAV-GRIP III coverage rates in P-01-19 – “Related Products”</a>

[Added TPO and PVC Accessory Vents to P-01-19 – “Related Products”](#)

**Design References**

[Updated Withdrawal Resistance Criteria Tables – DR-06-19 – “Withdrawal Resistance Criteria”](#)

While every effort is made to keep printed materials as up-to-date as possible, please keep in mind that the most current specifications and details can always be found on the Carlisle website.

Sincerely,

A handwritten signature in black ink that reads "Craig A. Tyler". The signature is written in a cursive style with a prominent loop at the end of the last name.

Craig A. Tyler  
Architect, Design Services

