


SecurEdge™ METAL

EX Drip Edge



Overview

Carlisle's SecurEdge EX Drip Edge features a patented extruded aluminum anchor bar for secure membrane termination, and its non-penetrating design eliminates the "stripping in" or heat-welding that is typically required in other edge designs. Manufactured in 12' snap-on lengths that do not require crimping, this product installs quickly and provides maximum protection against wind uplift damage.

Features and Benefits

- » Manufactured in 12' snap-on lengths
- » Pre-punched fastening holes ensure proper attachment of provided fasteners
- » Factory-fabricated miters and accessories ensure a proper fit and provide a cleaner appearance while eliminating the need for field fabrication
- » The 24 gauge steel or 0.040" aluminum cover piece is available in a wide variety of warranted colors and finishes
- » Low-profile roof flange allows for water drainage
- » ANSI/SPRI/FM 4435/ES-1 tested to comply with International Building Code requirements
- » Factory Mutual (FM) and Miami-Dade Approved
- » Sizes range from 3" up to 7.5" face heights to accommodate multiple nailers and coverage requirements
- » All splice plates and fasteners are included

Installation

For complete installation instructions, refer to Carlisle specifications and details or visit www.metalera.com/brands/carlisle.

Finishes

- » Natural mill-finish aluminum
- » Pre-finished Kynar® standard and low gloss
- » Premium metallic Kynar
- » Anodized aluminum – clear, dark bronze, and black
- » Drexlume – Acrylic coated galvalume
- » HDG90 Galvanized Steel
- » Custom post-painted Kynar finishes available upon request
- » Please consult color chart for color and gauge/thickness availability, non stock combinations require minimum order and extended lead time

Quality Assurance

Tested per ANSI/SPRI ES-1 Test Methods RE-1 and RE-2 for evaluation of membrane securement strength. Fascia shall be certified by Carlisle to design pressures as indicated in current edition of ANSI/SPRI ED-1 Design Standard for Edge Systems Used with Low Slope Roofing Systems. This product meets the requirements of the International Building Code; and is FM and Miami-Dade Approved.

Technical Services

Engineering and shop drawings, as well as long-form specifications and CAD details, are available from Carlisle. Product samples, detail sheets, color chips, and color charts are also available for submittal packages. For assistance with questions or submittals, contact Carlisle or your local manufacturer's representative.

Warranty

Carlisle's EX Drip Edge is warranted in conjunction with the roofing system, in an edge to edge warranty up to 30 years with 120mph windspeeds. A non-prorated 35 year Kynar finish warranty is also available.