



DESIGN ADVISORY

January 2019 Specification Update
February 20, 2019

To: Versico Independent Sales Representatives and Distributors

Below is a summary of all recent updates to Versico's specifications and details

EPDM Changes
Added 85 lb. cylinder option for CAV-GRIP 3V to Product Section
Modified product description for VapAir Seal 725TR in Product Section
Modified description of steel roller for DASH installation in Installation Section
Modified optimal set time for DASH Adhesive in Installation Section
Modified membrane splicing for 25/30 Year Warranties in Installation Section
Modified walkway caution note in Spec Attachment I – Ballast Criteria
Deleted standard CAV-GRIP from primer options
Edited VGMA-2.0A – “Membrane Securement (Option 1)”
Edited VGMA-2.0B – “Membrane Securement (Option 2)”
Edited VGC-6.4 – “Add-On Drain”
Edited VGC-5.1 – “Curb Flashing”
Edited VGC-5.1A – “Curb with 20” Quick-Applied Cured Flashing”
Edited VGC-8.2 – “Field-Fabricated Pipe Seal/Structural Steel Tube Flashing”
Edited VGC-8.3 – “Field-Fabricated Pipe/Structural Steel Tube Flashing”
Edited VGC-8.4 – “Flexible Penetration”
Edited VGC-8.5 – “Field-Fabricated Hot Stack”
Edited VGC-13.5 – “Tie-In with Shingled Roof”
Edited VGMA-2.0B – “Membrane Securement with Quick-Applied RTS (Option 2) for 25/30 Year Warranties
Thermoplastic (TPO/PVC) Changes
Added 85 lb cylinder option for CAV-GRIP 3V to Product Section
Modified product description for VapAir Seal 725TR in Product Section
Modified description of steel roller for DASH installation in Installation Section
Modified optimal set time for DASH Adhesive in Installation Section

A SINGLE SOURCE FOR SINGLE-PLY ROOFING

Tel: 800.992.7663 Fax: 717.960.4036 Web: www.versico.com



DESIGN ADVISORY

Added VersiWeld TPO Crossgrip Walkway Rolls to Product Section
Deleted standard CAV-GRIP from primer options
Added IW-4 – “Induction Welded Wall Attachment” to Spec Attachment I
Added Detail TPC-12.6 – “Parapet Flashing/No Adhesion – Any Height Option”
Edited TPC-2.0 – “Membrane Splice”
Edited TPC-6.4 – “Add-On Drain”
Edited TPC-5.2T – “Curb with VersiGard White Peel & Stick EPDM Curb Wrap Flashing”
Edited TPC-18.2 – “Scupper at Deck – TPO”
Edited TPMA-2.0B – “TPO Membrane Securement with Pressure-Sensitive RTS”
Edited TPMA-2.0A – “Membrane Securement”
Edited TPMA-2.1 – “Mechanically Attached Membrane Splice”
Edited TPC-24.0 – “Sleeper”
Edited RB-2 – “Angle Change Securement Method with RhinoBond Plates”
VersiFleece (TPO/PVC) Changes
Added 85 lb cylinder option for CAV-GRIP 3V to Product Section
Modified product description for VapAir Seal 725TR in Product Section
Modified description of steel roller for DASH installation in Installation Section
Modified optimal set time for DASH Adhesive in Installation Section
Modified perimeter sheet sizes and installation in Attachment III – VersiFleece FR TPO Mechanically Attached Roofing System
Deleted standard CAV-GRIP from primer options
No detail modifications
VersiFleece AC (TPO/EPDM) Changes
Added Weldable Breather Vents to Product Section
No detail modifications
Spec Supplement
Added G-13-18 – “VacuSeal Vent Secured Roofing System”
Added G-14-19 – “DeckVent Roof Assembly for Lightweight Structural Concrete Decks”
Deleted standard CAV-GRIP from G-03-19, G-07-19, G-12-19, and P-01-19
Added Non-Weldable or Weldable, One-Way Pressure Relief Breather Vents to G-03-19 – “Fully Adhered Application Over Lightweight Insulating Concrete”

A SINGLE SOURCE FOR SINGLE-PLY ROOFING

Tel: 800.992.7663 Fax: 717.960.4036 Web: www.versico.com



DESIGN ADVISORY

Added Non-Weldable or Weldable, One-Way Pressure Relief Breather Vents to P-01-19 – “Related Products”
Added VersiWeld TPO Crossgrip Walkway Rolls to G-05-19 – “Roof Walkway Installations”
Modified VapAir Seal 725TR sizing in G-07-19 – “Application Procedures for 725TR Air and Vapor Barrier”
Modified VapAir Seal 725TR sizing in P-01-19 – “Related Products”
Modified CAV-GRIP 3V coverage rates in G-07-19 – “Application Procedures for 725TR Air and Vapor Barrier”
Modified CAV-GRIP 3V coverage rates in G-12-19 – “Application Procedures for Carlisle’s VapAir Seal MD Air and Vapor Barrier”
Modified CAV-GRIP 3V coverage rates in P-01-19 – “Related Products”
Added TPO and PVC Accessory Vents to P-01-19 – “Related Products”
Design References
Updated Withdrawal Resistance Criteria Tables – DR-06-19 – “Withdrawal Resistance Criteria”

While every effort is made to keep printed materials as up-to-date as possible, please keep in mind that the most current specifications and details can always be found on the Versico website.

Sincerely,

A handwritten signature in black ink that reads "Craig A. Tyler".

Craig A. Tyler
Architect, Design Services